# The COMPUTER Journal

NOVEMBER 1966 volume nine number three

Published by THE BRITISH COMPUTER SOCIETY 23 DORSET SQUARE, LONDON, N.W.1



"He wants to know the effect on cost price if we go to three shifts at Coventry and ship 40% of the Glasgow output via the west coast." unchtime?

The answer will be correct to as many decimal places as required. And fast, critically accurate cost analysis is only one example of what IBM data processing can give you.

Because with IBM data processing you are constantly informed. All the

relevant information on every aspect of your operation is at your fingertips -24 hours a day. Profits, losses, payroll, services, transport—probables, possibles and all the variables. With IBM, vital decisions become simply a matter of 'yes' or 'no'. And, IBM has the experience to meet your demands exactly, whether you measure your turnover in thousands or millions.

Keeping your finger on costs means you can plan more exactly for profits.



IBM United Kingdom Limited, 101 Wigmore Street, London, W.1. Telephone: Welbeck 66

### The Computer Journal

Published Quarterly by

The British Computer Society, 23 Dorset Square, London, N.W.1 © The British Computer Society, 1966

Contents	Volume 9	Number 3 November 1966	
			PAGE
F. I. Musk		One man's meat: Part 2—now let's pretend	213
A. T. Clementson		Extended Control and Simulation Language	215
R. M. Paine		Preparation for optical character recognition	221
Norman Smith		Systems analysis problems encountered during a large computer application	230
A. J. T. Colin		A simple program for use in the "conversational mode"	238
R. F. Rosin		An approach to executive system maintenance in disk-based systems	242
M. O'Halioran and W.	M. Waite	Note on rapid instruction analysis by table lookup	248
J. Cohen and X. Nguy	en-Dinh	Note on ordering of grammar rules in syntax-analyzers	250
R. F. Berry		Grader programs	252
P M Woodward		The synthesis of music and sneech	257
R. M. Burstall		Computer design of electricity supply networks by a heuristic method	263
T A I Nicholson		Finding the shortest route between two points in a network	275
Alan Jennings		A compact storage scheme for the solution of symmetric linear	210
Than Sentings		simultaneous equations	281
Alan Curtis and M R	Osborne	The construction of minimax rational approximations to functions	286
J. Lindley and A. Wrag	gg	The numerical solution of sequential decision problems involving parabolic equations with moving boundaries	294
G Fairweather and		Some computational results of an improved A D I method for the	
A R Mitchell		Dirichlet problem	298
P Jarratt		A rational iteration function for solving equations	304
Abbas I Abdel Karim		Stability of the fourth order Runge-Kutta method for the solution of	504
Robas I. Rober Raim		systems of differential equations	308
David Mayne		An algorithm for the calculation of the pseudo-inverse of a singular matrix	312
Ian Barrodale and		A note on numerical procedures for approximation by spline	512
Andrew Young		functions	318
Algorithms Supplemen	t		321
Book Reviews		Programming Real-Time Computer Systems	249
BOOK ICCVICWS		Signals and Noise in Communication Systems	271
		Approximation of Eurotions	2/4
		The Application of Matrix Theory to Electrical Engineering	203
		Pottern Pacagnition	293
		Principles of Coding, Eiltering and Information Theory	202
		Information Transmission	202
		Information Transmission	203
Companyandanan		Error in Digital Computation, volume II	220
Correspondence		"Systematics"	229
		Progress County and Miceleon's proceedings	247
		Crank and inicolson's procedure	320
Editorial Doord and E	ditorial A J	Error curves for Lanczos selected points' method"	324
Eunorial Board and E	unorial Ad	uresses	XIV

Opinions expressed in *The Computer Journal* are those of the authors and do not necessarily represent the views of the British Computer Society or of the organizations by which the authors are employed.

Copies of earlier issues are available, at published prices, from the Society's headquarters.

# **REAL TIME COMPUTING**

At BCS Datafair 1966, held at Imperial College in January, over 3,000 people heard over 60 papers and presentations by individuals, manufacturers and users, all on the theme of real time techniques and modern management.

The Computer Bulletin for June 1966 covers Datafair in a special 144-page issue which may be obtained from the BCS office for  $\pounds 1.0.0$  post free. Contained in it are articles on real time computing in manufacture, commerce, finance, local government, hospitals, hotels, transport and insurance, together with explanatory papers on how real time computing is achieved.

## **COMPUTER BULLETIN** – June 1966

A BCS Publication

### LIST OF COMPUTER AND ASSOCIATED COURSES

A BCS Publication Supplement 2—August 1966

The second supplement to the 1965 list has been published

#### CONTENTS

Special and short courses; manufacturers' courses open to the general public; revision to previous entries; City and Guilds 319 and 320 — list of colleges for 1966-67; new entries

Price 4/- post free

The three lists together may be purchased for 7/6 post free

Orders, together with remittance, should be sent to the BCS office



Candidates should have a minimum of 2 years' experience.

Applications giving full details of age, experience, qualifications and present salary should be addressed. to:-

#### STAFF PERSONNEL OFFICER,

Reference D.P. R.A.Lister & Co. Ltd., Dursley, Glos.

			ALWAYS REFER	TO THE SUP
PART NO.	RECOMMENDED PRICE EACH	PART NO	RECOMMENDED	lement f
			to th	e Supplement
7104302 7104304 #7104305 7104314 *#7104318 ?7104319 ?%7104319 ?%7104320 *7104320 *7104338 #7104338 #7104349 #7105022 #7105022 #7105027 #7105028 #7105028 #7105028 #7105053 #7105053 #7105094 #?7105 #7105	£ S. D. 1 2 7 12 1 2 7 17 P.O.A. 1 8 9 15 0 1 16 0 1 5 6F SEE 7105134 5 0P 2 7 6P 1 6 0P SEE 7105132 <b>OMPUT</b>	Part No. Recommended Price each £ s. d. 7 104 302 1 2 6 7 104 304 12 6 7 104 305 12 6 7 104 305 12 6 7 104 318 2 7 6N 7 104 318 2 7 6N 7 104 320 P.O.A. *7 104 338 15 0P 7 105 005 1 16 0P 77 105 005 1 16 0P 77 105 027 See 7 105 134 77 105 094 See 7 105 132 17 105 094 See 7 105 132 13 0PF TAPRICAL *7 105 128 3 10 0P	ALWAYS refer to th           Part No.         Recommended Price each $\pounds$ s. d.           *7 201 166         3 0           17 201 194         6 7 6           17 203 394         6 7 6           17 203 395         6 7 6           17 203 394         6 7 6           17 204 022         8 9           17 204 023         See 7 096 082           17 204 055         1 8 0SG           17 204 058         5 6SG           17 204 059         P.O.A.           17 204 112         See 9 130 066.M           17 205 001         1 8 0SG           17 205 001         1 8 0SG           17 205 002         1 8 0SG           17 205 003         See 7 205 276           17 205 049         See 7 205 275           17 205 143         See 7 205 274           17 205 144         See 7 205 274           17 205 144         See 7 205 274           17 205 144         See 7 205 274	e         Supplement           Part No.         Recomment           Part No.         Recomment           *7 210 505         *7 210 526           *7 210 526         *7 210 541           *7 210 530         P           *7 219 530         P           *7 219 531         F           *7 219 532         9           9         000 007           *9 000 007         *9 000 013           *9 000 041         *9 000 041           *9 000 063         *9 000 063           *9 000 063         *9 000 079           *9 000 075         *9 000 075           *9 000 079         *9 000 075           *9 000 079         *9 000 075           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203           *9 000 203         *9 000 203 <tr< th=""></tr<>
7105 <b>br</b> 7105 <b>to</b> 7105 <b>to</b> 7105 <b>to</b> 7105 159	Compu		nension 6 <i>ntout</i> 9 6 17 206 201 P.O.A.	$\begin{array}{c} +9\ 003\ 018\\ +9\ 003\ 025\\ *9\ 003\ 032\\ +9\ 003\ 038\\ +9\ 003\ 038\\ +9\ 003\ 044\\ +9\ 003\ 164\\ +9\ 003\ 16\\ +9\ 003\ 17\\ +9\ 003\ 17\\ +9\ 003\ 17\\ +9\ 003\ 17\\ +9\ 003\ 17\\ +9\ 003\ 16\\ +9\ 003\ 17\\ +9\ 003\ 16\ 16\\ +9\ 003\ 16\ 16\ 16\ 16\ 16\ 16\ 16\ 16\ 16\ 16$

# THIS NEW SERVICE OFFERS MANY STRIKING ADVANTAGES TO COMPUTER USERS :

- Immediate low cost communication—via magnetic tape—between computer and the world's fastest phototypesetting system (Lumizip 901).
- 2 Complete pages are produced at high speed on film.



Telephone or write to Mr J. E. Mclean Computaprint Limited White Bear Yard, Clerkenwell Road London EC1. Telephone: Brunswick 1251

- 3 Many sizes and varieties of traditional printing typefaces.
- 4 Great saving of computer time by writing to magnetic tape instead of line printouts.
- 5 Avoidance of time-consuming computer paper tape output, which is required to control conventional typesetting equipment.
- 6 The possibility of a great saving in paper, printing and binding costs.
- 7 A considerable reduction in postage and distribution costs is possible.

#### COMPUTAPRINT MAKE TWO PROPOSALS TO COMPUTER USERS:

- i A study of requirements leading to the processing of data supplied on magnetic tape, cards, or paper tape.
- A system study and advice so that customers can write programs for their own computers to control the Computaprint Lumizip 901.

### Notes on the Submission of Papers

Communications. Papers submitted for publication should be sent to one of the honorary editors: E. N. Mutch, The University Mathematical Laboratory, Corn Exchange Street, Cambridge, or H. W. Gearing, c/o The Metal Box Company Ltd., Woodside, Worcester. They will then be sent to members of the Editorial Board who will advise on subjects within their particular experience. The author will be informed as soon as possible whether the paper has been accepted for publication, the date of the journal when it will probably appear, and of any modifications suggested by the referees.

*General.* Submission of a paper to the Editorial Board will be held to imply that it is an orginal article not previously published; that it has been cleared for publication so far as military or commercial secrecy is concerned; that it is not under consideration for publication elsewhere; and that if accepted for *The Computer Journal* it will not be published elsewhere in the same form, in English or any other language, without the consent of one of the Editors.

Contributors who reside outside Great Britain are requested to nominate somebody in Great Britain willing to correct their proofs. Papers from such contributors should be accompanied by a statement of the number of reprints required.

Authors' names should be given without titles or degrees. Women are requested to give one Christian name in full to avoid confusion. The name and address of the laboratory or other institution where the work was performed should be given.

Typescripts should carry the name and address of the person to whom the proof of the paper is to be sent and should also give a shortened version of the paper's title, not exceeding forty-five letters and spaces in length, suitable for a running title in the published pages of the work.

Form of papers submitted for publication. The onus of preparing a paper in a form suitable for sending to press lies in the first place with the author. Proper attention to detail in the preparation of the typescript before it is sent to the Editors will shorten the time required for publication. Papers not in satisfactory form may have to be returned to the authors for revision.

Papers should be in double-spaced typing on one side of sheets of uniform size with large margins. A top copy and one carbon copy should be submitted. Each paper must be accompanied by a summary of its contents which will be printed immediately below the title at the beginning of the paper. Pages should be numbered consecutively in arabic.

*Footnotes.* These should be typed immediately below the line to which they refer. The sheet should be ruled in ink for its whole width above and below the footnote. Footnotes should be used sparingly and should be brief.

Tables. Each table should be numbered consecutively in arabic and should have a general heading typed at the top, as well as the necessary headings to columns, etc. Column headings must be sufficiently brief to permit convenient setting up in type. Careful attention should be paid to layout so as to avoid tables of excessive width; the printing area of the Journal page is  $7^{"} \times 9^{"}$ , in two columns. Headings should be chosen so as to make the tables as far as possible comprehensible without reference to the text. Tables should not normally be included in the text but should be typed on separate sheets. More than one table may be included on a single sheet, but tables should not be split between sheets. Their approximate position in the text should be indicated in the margin of the text.

Mathematical formulae. These must be clearly written, avoiding symbols or arrangements which are difficult to set up. *Figures.* Diagrams and flow-charts to be set up in letterpress must be carefully drawn so that all rules are parallel to one

edge of the page The Monotype system does not economically permit the composing of diagonal rules. Directional arrows must be clearly indicated.

Where a diagram involves curves, diagonal rules, or other details which cannot be set up in type, it must be well drawn in indian ink and clearly lettered on plain white paper, Bristol board or faintly blue-lined paper. The diagram should be approximately twice the size of the finished block. The size limits for finished blocks are: width, single-column  $3\frac{1}{4}$ ", double-column 7"; depth 9". Each diagram should be on a separate sheet, packed flat and bearing the author's name on the back.

For photographs, glossy prints are required; clips should not be used and care should be taken to avoid heavy pressure when writing on the backs.

Figures should be numbered consecutively. Legends should be so written that the figures are as far as possible comprehensible without reference to the text. The approximate position of the figures should be indicated in the margin of the text.

In cases of doubt, a rough draft should be sent to one of the honorary editors for a decision as to the best method of reproduction, before the fair copies are prepared.

References. These should be given in the text thus: Barnett and Robinson (1942), (Culbertson and Thomas, 1933); where a paper to be cited has more than two authors, the names of all the authors should be given when reference is first made, e.g. (Osborne, Mendel and Ferry, 1919); subsequent citations should appear thus (Osborne et al., 1919). Where more than one paper by the same authors has appeared in one year the reference should be given as follows: Osborne and Mendel (1914a); Osborne and Mendel (1914b); or Osborne and Mendel (1914a, b); (Osborne and Mendel, 1914a, 1916; Barnett and Robinson, 1942). At the end of the paper references should be given in alphabetical order according to the names of the first authors of the publication quoted, names with prefixes being entered under the prefix, and should include the author's initials, year of publication, title of paper, the name of the journal, volume and first page number. References to books and monographs should include year of publication, the title and edition, town of publication and the name of the publisher. Examples:-

- CRANDALL, S. H. (1954). "Numerical Treatment of a Fourth Order Parabolic Partial Differential Equation," J. Assoc. Comp. Mach., Vol. 1, p. 111.
- ROYSTER, W. C., and CONTE, S. D. (1956). "Convergence of Finite Difference Solutions to a Solution of the Equation of the Vibrating Rod," *Proc. Amer. Math. Soc.*, Vol. 7, p. 742.
- CRANDALL, S. H. (1956). Engineering Analysis, A Survey of Numerical Procedures. New York: McGraw-Hill Book Co.

Authors are asked to check their references for accuracy before submission of the paper.

**Proofs.** The authors are responsible for seeing that their typescripts are in form for publication. Proofs are sent to authors in order that they may make sure that the paper has been correctly set up in type, and not that they may add new material or make corrections to the text. Otherwise increased printing charges are inevitable. Excessive alteration may have to be disallowed. The symbols used to indicate corrections should be those laid down in British Standard 1219: 1945; a shortened version is also published (B.S. 1219c: 1945, 1s. 6d.).

*Reprints.* Twenty-five reprints are supplied free of cost. Additional reprints may be purchased if the Editors are notified on the appropriate form when the proof of the paper is returned.



# What have we got to smile about?

Quite simply the satisfaction of knowing that our reputation for accuracy, reliability and speed of service are unsurpassed.

Don't be misled—we're not complacent; the Service our customers demand keeps us on our toes—we like it that way; we'd get bored if they didn't.

- ★ File Conversions
- ★ Special or rush jobs
   ★ Peak period or seasonal work
- ★ Contract work
- ★ Nationwide collection/ delivery service
- ★ 24-hour programme service



Specialists in all aspects of 80 col. card punching

E. D. P. SERVICES (CROYDON) LTD

Black Clawson House 20-26 Wellesley Road Croydon, Surrey, England

Telephone: CROYdon 5611/2 Telegrams and Cables: Datapro, Croydon





If you've got a small or a medium sized business . . . and you're expecting it to grow, you had better get to know about these remarkable new UNIVAC computers.

Take the UNIVAC 9200, the smallest in the new series. This is a true computer. It has a large, high speed plated wire memory and comes complete with software support. You can have a small configuration for the same price as a conventional punched card installation—but it operates 6-8 times faster . . . and the price—£17,000.

You can then, as your business grows, add stage by stage in low-cost modular steps-until you have the UNIVAC 9300.

This is a powerful magnetic tape system, incorporating from 2-16 tape units and has facilities to double the basic read/write speed of 34,160 characters or 68,320 digits a second. The UNIVAC 9300 comes complete with software support including tape assembler, sort/merge, report program generator, Fortran 1V and Cobol... The cost—£32,000 for a card system, £55,000 for a magnetic tape system.

Introduced in June of this year, the UNIVAC 9000 series has already been acclaimed as the complete answer to computerization in the smaller business ... our order books confirm this acclamation.





### TECHNOLOGICAL INNOVATIONS

SERIES OF

#### Plated-wire memory

inexpensive, inherently reliable.

UNIVAC 9000 Series computers utilize a plated-wire memory, basically a thin film electroplated on an extremely fine wire. Advantages—high speed and lower cost, operates in the nondestructive readout mode. Construction—simple, relatively Monolithic integrated circuitry

COMPUTERS

By means of semiconductor diffusion, component layers are grown on small silicon chips in much the same way as transistors are made.

Advantages—smaller size; less power consumption; simpler construction; increased reliability.

UNIVAC Divison of Remington Rand Ltd.

Remington House, 65 Holborn Viaduct, London, E.C.1. Tel: CENtral 1010

You can use an llford computer tape up to 50,000 times You can use an llford computer tape up to 50,000 + You can use an llford computer tape up to 59 You can use an llford computer tape up You can use an llford computer tape, You can use an llford computer tar You can use an llford computer ty You can use an llford computer You can use an llford computy You can use an llford comput You can use an llford comp You can use an llford comp You can use an llford comr You can use an llford com You can use an llford com You can use an llford com You can use an llford comp You can use an llford comp You can use an llford compu You can use an llford comput You can use an llford compute You can use an llford computer You can use an llford computer tak You can use an llford computer tape You can use an llford computer tape up You can use an llford computer tape up to You can use an llford computer tape up to 50,000 You can use an llford computer tape up to 50,000 times

You can use an llford computer tape up to 50,000 times an llford computer tape up to 50,000 times an llford computer tape up to 50,000 times d computer tape up to 50,000 times omputer tape up to 50,000 times nputer tape up to 50,000 times ter tape up to 50,000 times

**IITED** 

٢D

PUTER

800 bpi

#### (What do you mean, you didn't *know* llford make computer tapes?)

Well, we do. We've been producing computer tapes for a year now. And making them better than most.

Our computer tapes last longer — up to 50,000 runs per tape. The improved lubrication process that we use means less wear of the tapes, less wear of the tape heads by the tapes.

Production is stringently controlled to eliminate errors in manufacture. Every tape we sell is fully tested and certified as such.

When you buy tapes from us you can talk to the development, control and production staff — get the real truth, not just sales chat.

Tape is only a tiny part of your computer capital outlay. But it makes sense to choose the best available. Like Ilford, for instance.



Motion Picture & Magnetic Products Division, 201/203 Wardour Street, London, W.1. Techno-Commercial Computer Sales Group. REDhill 64706.



## Your equipment file is only as helpful as its contents and this Creed literature makes it very helpful indeed

From the makers of the teleprinter comes up-to-date literature on their range of data processing equipment.

Tape Punches; Tape Readers; Verifiers; Keyboard Tape Punches; Reproducer Sets; Tape Winders; Tape Dispensers. This literature—which contains full details and illustrations is, of course, completely free. That's not all. Because Creed recognise that everyone's needs are different, they offer a free advisory service too. This service covers every aspect of telegraph communications and paper tape handling problems. Creed, one of the first in the field, are fully qualified to supply the answers to any problem in these areas. Write or telephone now for a full set of publications covering the entire Creed range. Creed and Company Limited, Hollingbury, Brighton, Sussex. Telephone: Brighton 507111. Telex: 87169. An associate of ITT.

Please send me free details of the Creed range of equipment.

 NAME

 COMPANY

 ADDRESS



х

# Here is a linguist who never says a word.



Fluency in five languages, Cleo, Cobol, Algol, Fortran and APT is just one of the expressions of System 4's uniqueness.

System 4 is also the world's first range of micro-integrated computers. Circuitry where the functions of 28 components are performed by a chip the size of the proverbial pinhead. And these computers have exceptional compatibility. Ready to obey several other order codes as well as its own. Faster with the answers because your problems travel shorter distances. Rapid access core storage for 1,000,000 8-bit bytes, with massive provision for additional information.

Consider 4–70, the largest of the range. It can handle as many as 15 programs running concurrently, with full protection and rapid inter-program switching. Or it can handle 56 peripheral transfer operations concurrently with computing.

English Electric	Leo Marco	oni
System	4	

An input/output capability of a phenomenal 4,000,000 bytes per second! In fact, 4–70 can handle all the admin. and commercial problems as well as the research and scientific calculations of a very large organization. Even then you would have computer time to spare.

There are three smaller computers in the System 4 range, as well as the multi-access 4–75. Find how one of these five fits in with your own ideas on cost/effectiveness, which is maximum capacity, capability, and compatibility for the minimum outlay in cost.

For a fully detailed brochure on the System 4 range, complete this coupon and mail it to English Electric-Leo-Marconi Computers Limited, Portland House, Stag Place, London, S.W.1. Tel. Victoria 2299 (STD 01).

Please send details of System 4.	C.J.
Name	
Position	
Company	······ ······
Address	
ان میں ہے بھر بینے کے بین سے سر بین بات کہ تھے ہیں او کے	

# There are six key messages on this ascom tape

- **1 ascom** computer tape is completely grit-free so it needs none of the built-in lubricant which tends to pick up dust and fluff.
- 2 In anti-static properties, ascom is superior to all known non-oiled, low-filler punched paper tapes.
- **3** Because **ascom** is the only twin-wire tape on the market *both* its surfaces stay virtually free from fluffing to give faster, trouble-free operation.
- 4 ascom offers the improved tensile strength and punchability which greatly reduce the possibility of breakage in fully punched out tapes—a vital factor in high-speed computer installations.
- **5 ascom** is backed by three years' intensive development by a company renowned throughout the world for its speciality papers and quality control.

6 ascom is manufactured to meet the requirements laid down by the draft British Standard Specification: and European Computer Manufacturers' Association.

**ascom** comes as coils in white and five tints, available; with prompt delivery ex stock, from :

Rollco Papers Ltd., 11 Leigh Hunt Street, London S.E.1. Tel: HOP 5838/9. Telex 23988.

Thames Paper Supplies Ltd., 13/21 Curtain Road, London E.C.2. Tel: BIS 1021. Telex 27846.

Willis (London) Ltd., Midland Bank Chambers, 101 Whitechapel High Street, London E.1. Tel: BIShopsgate 3425.

Jenkins Fidgeon Limited, Data Processing Specialists, Linley Road, Talke, Staffs. Tel: Kidsgrove 2368 and 3341.



Auchmuty & Rothes Paper Mills, Markinch, Fife, Scotland. Tel: Markinch 471.